


**From:** [Leos, Valmichael](#)  
**To:** [Schroeder, Paul R ERDC-RDE-EL-MS](#)  
**Cc:** [Sanchez, Carlos](#); [Miller, Garyg](#); [Foster, Anne](#)  
**Subject:** FW: SJRWP TCRA Reassessment of Design and Construction  
**Date:** Monday, April 08, 2013 1:32:39 PM  
**Attachments:** [TCRA Report on Reassessment of Design and Construction 04052013.pdf](#)  
[image001.png](#)

---

Paul,

Please include this document in your review of the TCRA armor cap design and construction. It was just submitted to the EPA last week by the respondents. It provides their review and analysis of the July 2012 western berm erosion event.

Sincerely,



---

**From:** John Laplante [<mailto:jlaplante@anchorqea.com>]  
**Sent:** Friday, April 05, 2013 5:50 PM  
**To:** Leos, Valmichael  
**Cc:** David Moreira; Phil Slowiak; Andrew Shafer; David Keith; John Verduin; John Cermak; Francis Chin; Inglin, Sonja A.; Al Axe; Steve Ginski; John Laplante  
**Subject:** SJRWP TCRA Reassessment of Design and Construction

Valmichael –

On behalf of McGinnes Industrial Maintenance Corporation and International Paper Company, attached please find the Respondent's Report on the San Jacinto River Waste Pits Time Critical Removal Action Reassessment of Design and Construction.

Five hard copies are being sent via FedEx.

Regards,

**John P. Laplante, PE**

**ANCHOR QEA, LLC**  
[jlaplante@anchorqea.com](mailto:jlaplante@anchorqea.com)  
720 Olive Way, Suite 1900  
Seattle, Washington 98101  
Main 206.287.9130  
Direct 206.903.3323  
Fax 206.287.9131

**ANCHOR QEA,LLC**

[www.anchorqea.com](http://www.anchorqea.com)

**Please consider the environment before printing this email.**

This electronic message transmission contains information that may be confidential and/or privileged work product prepared in anticipation of litigation. The information is intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130.